



CONTAINER CORPORATION OF INDIA LTD.

(A Govt. of India Undertaking)

Date :05.08.2017

CORRIGENDUM

REF : OPEN E-TENDER NO.: **CON/ICD/TKD/TECH/PALLET/WH/2017-18** dated 30.06.2017

With reference to above in the Annexure - III **SCOPE OF WORK AND SPECIFICTAIONS FOR ITEM NO . – (PALLET RACKING SYSTEM)** the given note is to be read as under.

<u>Existing</u>	<u>To be read as</u>
<p>Section –II [General and Special Terms & Conditions Of Contract]</p> <p>Clause 22 GENERAL :Any clarification in regard to the meaning or intent or interpretation of any of the provisions of these terms and conditions required on any point shall be sought from the EXECUTIVE DIRECTOR/NR whose decision in the matter shall be final and binding. Any other matter relevant to but not covered in the contract shall also be decided by making reference to EXECUTIVE DIRECTOR/NR whose decision will be final and binding.</p> <p>Further in case of failure to execute the agreement, the contract will be cancelled</p> <p>All terms and conditions listed from Para 1 to 22 along with all sub paras read carefully, understood and accepted.</p>	<p>Section –II [General and Special Terms & Conditions Of Contract]</p> <p>Clause 22 (i) GENERAL :Any clarification in regard to the meaning or intent or interpretation of any of the provisions of these terms and conditions required on any point shall be sought from the EXECUTIVE DIRECTOR/NR whose decision in the matter shall be final and binding. Any other matter relevant to but not covered in the contract shall also be decided by making reference to EXECUTIVE DIRECTOR/NR whose decision will be final and binding.</p> <p>Further in case of failure to execute the agreement, the contract will be cancelled</p> <p>All terms and conditions listed from Para 1 to 22 along with all sub paras read carefully, understood and accepted.</p> <p>(ii) It is preferable that an add on proposal for automation of pallet racking system may be submitted along with the offer. The absence of such additional offer will not lead to the rejection of the Bid of the bidder. The decision for adoption of such additional proposal on automation in pallet racking system will be taken based on merits of the proposal. Bidder should ensure that the pallet racking system should satisfactorily work in all respects even if the add on automation proposal is not adopted by CONCOR.</p>
Annexure-III,	Annexure-III,

<p>Clause 4.21 Upright member: should be designed with high quality cold rolled steel in single piece slotted section with bends on its profile to impart high strength and rigidity to take large moment of inertia, great load capacity and strong resistance to impact and safety with foundation shoe at the bottom, to distribute the load of the upright. The Upright should be designed with slots at a pitch of 50 mm to cater future requirements of level adjustability. The design of uprights should be such that load is transmitted with minimum eccentricity, there should be no adverse effect of axial as well bending stresses and cross sectional area of the slots should be also taken into consideration while designing the upright sections. On certain high loads upright should be strengthened with stiffener but there is no welding on upright.</p> <p>The upright provided should be common and therefore compatible for selective pallet racking. Adequate anchorage to the uprights base plate should be provided.</p> <p>Uprights are to be grouted to the floor through a base plate by using expansion bolts to transfer the load to ground.</p>	<p>Clause 4.21 Upright member: should be designed with high quality cold rolled steel in single piece slotted section with bends on its profile to impart high strength and rigidity to take large moment of inertia, great load capacity and strong resistance to impact and safety with foundation shoe at the bottom, to distribute the load of the upright. The Upright should be designed with slots at a pitch of 50 mm /suitable dimensions (<i>change in size/design/dimensions may be accepted without deviation/change in purpose and cost. CONCORs decision in this regard will be the final and binding on the supplier</i>) to cater future requirements of level adjustability. The design of uprights should be such that load is transmitted with minimum eccentricity, there should be no adverse effect of axial as well bending stresses and cross sectional area of the slots should be also taken into consideration while designing the upright sections. On certain high loads upright should be strengthened with stiffener but there is no welding on upright.</p> <p>The upright provided should be common and therefore compatible for selective pallet racking. Adequate anchorage to the uprights base plate should be provided.</p> <p>Uprights are to be grouted to the floor through a base plate by using expansion bolts to transfer the load to ground.</p>
<p>Annexure-IV,PRICE BID</p>	<p>Annexure-IV,PRICE BID In view of the impact of GST implementation the price bid is reviewed and revised price bid is enclosed.</p>
<p>Date of sale of Tender (Online):On 30.06.2017 from 15:00 hrs to 08.08.2017 up to 16:00 hrs</p>	<p>Date of sale of Tender (Online):On 30.06.2017 from 15:00 hrs to 21.08.2017 up to 16:00 hrs</p>
<p>Date & time of tender submission :On or before 09.08.2017 up to 15:00 hrs</p>	<p>Date & time of tender submission :On or before 22.08.2017 up to 15:00 hrs</p>
<p>Date & time of tender opening :10.08.2017 at 15:30 hrs</p>	<p>Date & time of tender opening :23.08.2017 at 15:30 hrs</p>

All other terms & conditions of OPEN E-TENDER NO.: **CON/ICD/TKD/TECH/PALLET/WH/2017-18** dated 30.06.2017 remains unchanged.

ANNEXURE -IV

PRICE BID

S.NO.	Description of work	Quantity	Make	Unit Price	Total Amount (In Rs.)
1	DESIGN/MANUFACTURING AND SUPPLY INCLUDING INSTALLATION & COMMISSIONING OF MULTI STACKING PALLET RACKING SYSTEM FOR "A" TYPE,"B"TYPE AND "AH"TYPE (AS PER DRAWING, SCOPE OF WORK AND SPECIFICATIONS GIVEN IN ANNEXURE-III AND TENDER DOCUMENT AT ICD/TUGHLAKABAD,NEW DELHI (Rates should be Inclusive of Freight Charges upto ICD/Tughlakabad,New Delhi)	01 Complete Job			
2	Discount (if any)				
3	Subtotal (sl. No.1 - sl.no.2)				
4	GST				
5	Total [(3+4)] in figure				
6	Total amount in words				

Signature of bidder (with seal)