

CORRIGENDUM

08/03/2018

Ref:- Tender No- CON/WR/ICD-DRT/REPAIRINGHIGHMAST/16/2018 published on 01/03/2018


This is for information of all the bidders that following Corrigendum are being made in tender document related to **REPLACEMENT/REVAMPING OF 08 NO.LIFTING EQUIPMENT'S OF HIGH MAST IN ICD/Dronagiri (DRT)**, which was published on 01/03/2018. The below mentioned corrigendum is as under.

Sr no	As per tender document	Revised and the same may be read as below
1	NOTICE INVITING LIMITED TENDER . (Ref page no 2 of tender document)	NOTICE INVITING OPEN TENDER. (Ref page no 2 of tender document)
2	Date & time of submission of tender: 01/03/2018 at 15.00 hrs. Date & time of opening of tender: 01/03/2018 15.30 hrs, the tender notice have been written (Ref page no 2 of tender document)	Date & time of submission of tender : 21./03/2018 at 15.00 hrs. Date & time of opening of tender : 21/03/2018 at 15.30 hrs. (Ref page no 2 of tender document)

All the other terms and conditions of the tender document remain unchanged.

The bidders are advised to take into account the above mentioned corrigendum before submission of their bids against this tender.

This is with the approval of the competent authority

for: 
Manager (Engg) 08/03/2018